```
Japonica
                                       Indica
                  waxy
                                                   PCR
                waxy
                                                         (CT)_n
                                     n
                                                         PCR
     (CT)_n
n
                         1
                              Waxy
```

.....

```
[ Downloaded from jcb.sanru.ac.ir on 2025-11-17 ]
```

```
(Oryza sativa L.)
                      % /
  (CT)_n
                   ] (n =
                             n = )
     (CT)
           (CT)
                    (CT)
          ( -% )
             (CT)
     (CT)
                     (CT)
                                                    .(
                                                         )
             ( -%
                    )
(% )
                            (CT)
                                                            waxy
                                                      .( ).
  %
                            (CT)
       .( )
                                                ()
               ( )
                                       waxy
                              ( )
                                         5-Leader
                                                                bp
                                                                       )
waxy
                  %
                    1
                                            (.
                                                waxy
      waxy
                                            (CTTTGTCTATCTCAAGACAC)
                                           (TTGCAGATGTTCTTCCTGATG)
                        ()
                                                                  (
                      Oryza
                                                                       )
                                           ()
            (CT)_n
                               Wx
                  )
                        Waxy
```

```
(
                                                 DNA
                                         Waxy
                                                      ()
      CTAB
DNA
                                                                  (CT)_n
      ( )
                                                           n
                                            Waxy
                                                          Waxy
            DNA
                                                         (CT)
                                         ( )
                        ( ) juliano
                                          OSR19
                                                            ( )
            DNA
                                                           RM190
         PCR
                           dNTPs
                                                               Waxy
            °C
        °C
                           °C
                               °C
                      °C
                                                                  Waxy
```

.....

%

Waxy	CT	-
(%)	(CT) _n	
1		
1		
1		
1		
1		
1		
1		
1		
1		
1		
1		
1		
1		
1		
1		
1		
1		
1		
1		
1		
1		
1		
1		
1		
1		
1		
1		
1		
1		

Waxy	CT	-
(%)	(CT) _n	
1		
1		
1		
1		
1		
1		
1		
1		
,		
1		
1		
1		
1		
1		
1		
1		
1		
1		
1		
1		
,		
1		
1		
1		
1		
1		
1		
1		
1		
1		
•		

.....

```
(
                   (CT)
(CT)
                   (CT)
    (CT)
                                      ( -% )
(CT) (CT)
                                                      ( -% )
                                            ( -% )
                                      ( -% )
      (CT) (CT) (CT)
(CT)
            (CT) (CT)
                        (CT)
                                                            .(
                                                                  )
  )
                                         ) (CT)<sub>n</sub>
      (CT)
                            ()
                                                      (n=
                   (CT)
                                               ( - bps)
                                    (CT)
                                               (CT)_n
                                          (CT)
                                   (CT)
                                         (CT)
                                                 (CT) (CT) (CT)
  (%
                     (CT)
             .( )
                                          (CT)
                  (CT)_n
```

î

. WX

.

 $(CT)_n$ \hat{a} -bp

.(

.()

. (CT)

- 1. Ayres, N.M., A.M. McClung, P.D. Larkin, H.F.J. Bligh, C.A. Jones and W.D. Park. 1997. Microsatellites and single-nucleotide polymorphism differentiate apparent amylose classes in an extended pedigree of US rice germ plasm. Theoretical Applied Genetics. 94: 773-781.
- 2. Bao, J.S., H. Corke and M. Sun. 2002. Microsatellite in starch-synthesizing genes in relation to starch physicochememical properties in *waxy* rice (*Oryza Sativa L.*). Theor Appl Genet. 105: 898-905.
- 3. Bergman C.J., J.T. Delgado, A.M. McClung and R.G. Fjellstrom. 2001. An improved method for using a microsatellite in the rice *waxy* gene to determine amylose class. Cereal Chem 78: 257-260.
- 4. Bligh, H. F., J.R.I. Till and C.A. Jones. 1995. A microsatellite sequence closely linked to the *waxy* gene of (*Oryza Sativa*). Euphytica. 86: 83-85.
- 5. Doyle, J.J. 1991. DNA protocols for plants-CTAB total DNA isolation. In: Hewitt GM (ed) Molecular techniques in taxonomy. Springer, Berlin, pp 283-293.
- 6. IRRI. 1989a. Rice Races, Plant Types and Varietal Improvement. 2nd edn. Los Banos, Philippines.
- 7. IRRI. 1989b. Rice Races, Plant Types and Varietal Improvement. 2nd edn. Los Banos, Philippines.
- 8. Juliano, B.O. 1971. A simplified assay for milled-rice amylase. Cereal Sci. Today. 16: 334-338, 340-360.
- 9. Pratherpha, P. 2003. Characterization of *Waxy* microsatellite classes that are closely linked to the rice *Waxy* gene and amylase content in Thai rice germplasm. Songklanakarin J. Sci. Technol., 25(1): 1-8.
- 10. Shu, Q.Y., Wu. DX, Y.W. Xia, M.W. Gao, N.M. Ayres, P.D. Larkin and W.D. Park. 1999. Microsatellite polymorphisms on the *waxy* gene locus and their relationship to amylose content in *indica* and *japonica* rice, *Oryza sativa* L. Acta Genet Sinica 26: 350-358
- 11. Tan, Y.F., J.X. Li, S.B. Yu, Y.Z. Xing, C.G. Xu and Q. Zhang. 1999. The three important traits for cooking and eating quality of rice grains are controlled by a single locus in an elite rice hybrid, Shanyou 63. Theoretical Applied Genetics. 99: 642-648.
- 12. Temnykh, S., W.D. Park, N. Ayres, S. Cartinhour, N. Hauck, L. Lipovich, Y.G. Cho, T. Ishii and S.R. McCouch. 2000. Mapping and genome organization of microsatellite sequences in rice (*oryza sativa L*.). Theoretical Applied Genetics. 100: 697-712.
- 13. Tian, R., G.H. Jiang, L.H. Shen, L.Q. Wang and Y.Q. He. 2005. Maping quantitative trait loci underlying the cooking and eating quality of rice using a DH population. Molecular Breeding. 15: 117-124.

0

Evaluation of Genetic Diversity By Using of Link Maker For Amylase Content of Some Iranian Local Rice Cultivars

M.R. Rahemi¹, S.K. Kazemitabar², A. Moumeni³, A.A. Ebadi⁴ and N. Farhadi⁵

Abstract

Molecular markers are the best method for investigating the genetic diversity. In this experiment, 72 cultivars including *Indica* and *Japonica* were investigated in Rice Research Centre of Iran. In order to evaluate the genetic diversity of locus *waxy* linked to the trait controlling the amylose content, PCR was performed using two oligonucleotides (484 and 485) and scored. The important Iranian cultivars of rice were screened using *waxy* microsatellite marker and classified into seven groups based on (CT)_n repeats ranging from n=7 to 20. The amplified PCR products ranged from 102 to 128 bps in length and represented the (CT)_n repeats of (CT)₇, (CT)₈, (CT)₁₄, (CT)₁₇, (CT)₁₈, (CT)₁₉ and (CT)₂₀, that were according to amylose content of cultivars in Iranian germplasm classified in seven groups for that locus and explained 70%, 72%, 78.95%, 80% and 70% of each group variations, respectively.

Keywords: Rice, *Waxy* microsatellite, Oligonucleotide, Amylose content

¹⁻ B. Sc. Nuclear Science and Technology, Nuclear Technology Center Atomic Energy Organization of Iran

²⁻ Assistant professor, Sari Agricultural Sciences and Natural Resources University

³⁻ Assistant professor, Rice Research Institute, Rasht

⁴⁻ Researcher Instractur, Rice Research Institute, Rasht

⁵⁻ B. Sc. Institute of Standard and Indastrial Research of Iran